

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/434,703	11/05/1999	ERIC O. BODNAR	LS/0001.01	4272
75	90 06/30/2005		EXAM	INER
Blakely Sokoloff Taylor & Zafman LLP			NGUYEN, LUONG TRUNG	
12400 Wilshire Blvd. Seventh Floor		ART UNIT	PAPER NUMBER	
Los Angeles, CA 90025			2612	
			DATE MAILED: 06/30/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

	·	Application No.	Applicant(a)				
Office Action Summary			Applicant(s)				
		09/434,703	BODNAR ET AL.				
	Office Action Summary	Examiner	Art Unit				
		LUONG T. NGUYEN	2612				
Period fo	The MAILING DATE of this communication ap or Reply	pears on the cover sheet with the c	correspondence address				
THE - Exte after - If the - If NC - Failu	ORTENED STATUTORY PERIOD FOR REPL MAILING DATE OF THIS COMMUNICATION. nsions of time may be available under the provisions of 37 CFR 1. SIX (6) MONTHS from the mailing date of this communication. e period for reply specified above is less than thirty (30) days, a reply period for reply is specified above, the maximum statutory period are to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a reply be timely within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).				
Status							
1)🖂	Responsive to communication(s) filed on 27 A	April 2005					
2a)□		s action is non-final.					
3)	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
·	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Dispositi	ion of Claims						
4)⊠	4)⊠ Claim(s) <u>1,3-7,10-21,23-27,30-41,43-47,50-66 and 68</u> is/are pending in the application.						
	4a) Of the above claim(s) is/are withdrawn from consideration.						
	5) Claim(s) is/are allowed.						
	☐ Claim(s) 1.3-7,10-21,23-27,30-41,43-47,50-66 and 68 is/are rejected.						
	Claim(s) is/are objected to.						
	Claim(s) are subject to restriction and/o	or election requirement.					
Applicati	ion Papers		•				
9)□	The specification is objected to by the Examine	er					
	10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
/	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
	Replacement drawing sheet(s) including the correct		• •				
11)	The oath or declaration is objected to by the E	- · · · · · · · · · · · · · · · · · · ·					
Priority ι	ınder 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a) All b) Some * c) None of:							
,	1. Certified copies of the priority documents have been received.						
	2. Certified copies of the priority document		on No.				
	3. Copies of the certified copies of the prior						
	application from the International Burea						
* 5	See the attached detailed Office action for a list		d.				
Attachment	t(e)	•					
_	e of References Cited (PTO-892)	4) Interview Summary	(PTO-413)				
2) 🔲 Notic	e of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da					
	nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date <u>4/27/05</u> .	5) Notice of Informal Pa	atent Application (PTO-152)				

Art Unit: 2612

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 4/27/2005 has been entered.

Response to Arguments

2. Applicant's arguments filed on 4/27/2005 have been fully considered but they are not persuasive.

In re page 12, Applicants argue that "Aragaki's file header merely includes identification data and two data values indicating image size and amount of data, and does not include any individual bit plane data."

In response, regarding claim 1, Applicants recited claim 1 with the limitation "packaging said compressed luminosity information with header information identifying the individual bit plane." The Examiner considers that claim 1 as recited still does not distinguish from Acharya et al. patent in view of Aragaki patent further in view of Tran patent. Acharya et al. discloses captured images are splitted into plurality of channels including color plane difference channel, then compressing separately each of color plane channels (individual bit plane) by image compression circuit 832, see Abstract, figures 2, 7-8, column 12, lines 45-50. Acharya et al.

Art Unit: 2612

Page 3

does not disclose packaging the compressed luminosity information with header information identify the individual bit plane. However, Aragaki teaches this feature. Aragaki teaches a method of storing and transmitting compressed image data and file header, in which the file header includes information for identify the image filed (column 1, lines 18-19), further, the file header identifies the reduced and compressed image data, each reduced and compressed image data is represented in serial order of bit planes (figures 4A-4B, 10, 17A-17B, column 8, lines 52-58, column 13, line 60 – column 14, line 46). It is noted that the file header includes size of reduce image LRX, LRY, which includes compressed image data in serial order of bit planes (figure 4B, column 8, lines 1-8). Therefore, Aragaki discloses "header information identify the individual bit plane."

In re page 14, Applicants argue that Acharya and Tran, either individually or in combination, do not teach or suggest applying a transformation compression to all individual bit planes that comprise the luminosity information.

In response, regarding claim 41, Applicants recite in claim 41 the limitation "applying a transformation compression to all individual bit planes that comprise the luminosity information." The Examiner considers that claim 41 as recited still does not distinguish from Acharya et al. Acharya et al. teaches compression of G1, G2 (compression to all individual bit planes that comprise the luminosity information) as shown in figure 7, column 11, line 60 – column 12, line 10).

Art Unit: 2612

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 1, 3-7, 10-21, 23-27, 30-40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Acharya et al. (US 6,154,493) in view of Aragaki (US 4,992,887) further in view of Tran (US 6,202,060).

Regarding claims 1, 10, Acharya ('493) discloses a method for distributed digital image processing, comprising recording luminosity information at a first device (captured images by camera 830 are recorded in memory 834, figures 7-8, column 12, lines 25-35); without performing color interpolation at the first device, generating compressed luminosity information at the first device by applying a wavelet transform compression to individual bit planes that comprise the luminosity information, followed by applying quantization and compression to the luminosity information (captured images are compressed by an image compression circuit 832, the compressing separately each of color plane channels, see Abstract, figures 2, 7-8, column 12, lines 45-50); packaging said compressed luminosity information (pack the compressed data, column 12, lines 7-11); transmitting said compressed luminosity information to a second device (the compressed images are transferred to computer system 810, figures 7-8, column 13, lines 15-25); restoring said luminosity information from said compressed luminosity information at the second device (figure 8, column 13, lines 40-57); converting said luminosity information at the second device into a color image, including performing color interpolation at the second

Art Unit: 2612

device (the application used to perform the integrated color interpolation after download from camera 830, figure 8, column 13, lines 1-5, lines 40-52).

Acharya ('493) fails to specifically disclose packaging said compressed luminosity information with header information identifying the individual bit planes. However, Aragaki discloses a method of storing and transmitting image data as an image file suitable for an image search, in which the image file includes a file header (Figures 4A-4B, 10, 17A-18B, column 8, lines 52-58, column 13, line 60 – column 14, lines 46). It is noted that the file header includes size of reduce image LRX, LRY, which includes compressed image data in serial order of bit planes (figure 4B, column 8, lines 1-8). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device in Acharya ('493) by the teaching of Aragaki in order to store a file header in an image data. This saves time in searching and retrieving image data.

Acharya ('493) and Aragaki fail to specifically disclose transmitting compressed luminosity information to a second device in a wireless manner using a packet-based communication protocol. However, Tran teaches images captured by the camera 27 can be transmitted to a second device through PCMICIA bus and wireless transceiver 31; the wireless transceiver 31 is a two-way communication protocol (figure 1, column 7, line 28 – column 8, line 30). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device in Acharya ('493) and Aragaki by the teaching of Tran in order to transmit the image to a remote device without using cable.

Art Unit: 2612

Regarding claims 3, 23, Acharya ('493) discloses wherein said sensor information comprises light-level information for representing an image that has been digitally recorded at the first device (intensity values, column 11, lines 15-30).

Regarding claim 4, Acharya ('493) discloses a generic binary compression module (compression quantizer 728, figure 7, column 12, lines 1-11).

Regarding claims 5, 25, Acharya ('493) discloses run-length encoding (column 12, lines 5-11).

Regarding claims 6, 26, Acharya ('493) discloses Huffman coding (column 12, lines 5-11).

Regarding claims 7, 27, Acharya ('493) discloses reversing said compression that occurred at the first device (figure 3).

Regarding claims 11, 31, Acharya ('493) discloses apply a YUV transformation at the second device for converting said sensor into a color image in YUV color space (the application used to perform color space conversion after download from camera 830, column 2, lines 34-54, column 13, lines 1-5).

Art Unit: 2612

Regarding claims 12, 32, Acharya ('493) discloses converting the color image into a standard file format at the second device (store XYZ color space image data in memory 811, figure 8, column 13, lines 15-40).

Regarding claims 13, 33, Acharya ('493) discloses JPEG format (column 1, lines 65-67).

Regarding claim 14, 34, Acharya ('493) fails to specifically disclose applying JPEG compression to the color image at the second device. Official Notice is taken that applying JPEG compression to the color image at the second device such as a computer is well known the art. This reduces the time to transmit image data to another device in a network.

Regarding claims 15-16, 35-36, Tran discloses transmitting said compressed luminosity information using a packet-based communication protocol, and selectively connecting the digital camera to a cellular phone for establishing a wireless communication session with the computer (figure 1, column 7, line 28 – column 8, line 30).

Regarding claims 17, 37, Tran discloses wherein said second device comprises a computer with connectivity to the Internet (figure 4, column 19, lines 30-33).

As for claims 18-20, 38-40, Acharya ('493), Aragaki and Tran fail to specifically disclose transmitting said compressed sensor information by first transmitting a lower-quality representation of the image recorded at the first device. However, Acharya ('493) discloses

Art Unit: 2612

compressed signals could be downloaded to the computer (figure 8). It would have been obvious that lower-quality image is converted into higher-quality image in order to let the user could see a higher quality on the display.

Regarding claim 21, Acharya ('493) discloses a method for deferring digital image processing, the method comprising recording sensor information at a first device (captured images by camera 830 are recorded in memory 834, figures 7-8, column 12, lines 25-35); compressing said sensor information prior to color processing by applying a transformation compression to individual bit planes that comprise the sensor information, for generating compressed sensor information at the first device (captured images are compressed by an image compression circuit 832, the compressing separately each of color plane channels, see Abstract, figures 2, 7-8, column 12, lines 45-50); packaging said compressed luminosity information (pack the compressed data, column 12, lines 7-11); without performing color processing at the first device, transmitting said compressed sensor information to a second device (the compressed images are transferred to computer system 810, figures 7-8, column 13, lines 40-47); decompressing said compressed sensor information at the second device, whereupon said sensor information may thereafter be processed into color image (figure 8, column 13, lines 40-52).

Acharya ('493) fails to specifically disclose packaging said compressed luminosity information with header information identifying the individual bit planes. However, Aragaki discloses a method of storing and transmitting image data as an image file suitable for an image search, in which the image file includes a file header (Figures 4A-4B, 10, 17A-18B, column 8, lines 52-58, column 13, line 60 – column 14, lines 46). It is noted that the file header includes

Art Unit: 2612

size of reduce image LRX, LRY, which includes compressed image data in serial order of bit planes (figure 4B, column 8, lines 1-8). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device in Acharya ('493) by the teaching of Aragaki in order to store a file header in an image data. This saves time in searching and retrieving image data.

Acharya ('493) and Aragaki fail to specifically disclose transmitting compressed luminosity information to a second device in a wireless manner using a packet-based communication protocol. However, Tran teaches images captured by the camera 27 can be transmitted to a second device through PCMICIA bus and wireless transceiver 31; the wireless transceiver 31 is a two-way communication protocol (figure 1, column 7, line 28 – column 8, line 30). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device in Acharya ('493) and Aragaki by the teaching of Tran in order to transmit the image to a remote device without using cable.

Regarding claims 24, Acharya ('493) discloses applying wavelet transform to individual bit planes that comprise the sensor image (see abstract, column 4, lines 49-61); and applying compression to the transformed sensor image, to create said compressed sensor image at the first device (compression quantizer 728, figure 7).

Regarding claims 30, Acharya ('493) discloses converting sensor information into color by interpolating color information (color interpolation data, column 13, lines 40-47).

Art Unit: 2612

5. Claims 41, 43-47, 50-66, 68 are rejected under 35 U.S.C. 103(a) as being unpatentable over Acharya et al. (US 6,154,493) in view of Tran (US 6,202,060).

Regarding claim 41, Acharya ('493) discloses an imaging system providing deferred image processing, the system comprising an imager (camera 830, figure 8, column 11, lines 15-65, column 12, lines 24-45); compressor module for compressing said luminosity information by applying a transformation compression to individual bit planes that comprise the luminosity information, for generating compressed luminosity information at the imager without performing color processing at the first device (captured images are compressed by an image compression circuit 832, the compressing separately each of color plane channels, see Abstract, figures 2, 7-8, column 12, lines 45-50; column 13, lines 40-47); a communication link (bus 760, figure 7); a decompression module for decompressing said compressed luminosity information at the target device, whereupon said luminosity information may thereafter be processed into color image (figure 8, column 13, lines 40-52).

Acharya ('493) fails to specifically disclose a wireless communication link for transmitting compressed luminosity information to a target device in a wireless manner using a packet-based communication protocol. However, Tran teaches images captured by the camera 27 can be transmitted to a second device through PCMICIA bus and wireless transceiver 31; the wireless transceiver 31 is a two-way communication protocol (figure 1, column 7, line 28 – column 8, line 30). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device in Acharya ('493) and Aragaki by the teaching of Tran in order to transmit the image to a remote device without using cable.

Art Unit: 2612

Regarding claim 43, Acharya ('493) discloses wherein said sensor information comprises light-level information for representing an image that has been digitally recorded at the first device (intensity values, column 11, lines 15-30).

Regarding claim 44, Acharya ('493) discloses a generic binary compression module (compression quantizer 728, figure 7, column 12, lines 1-11).

Regarding claim 45, Acharya ('493) discloses run-length encoding (column 12, lines 5-11).

Regarding claim 46, Acharya ('493) discloses Huffman coding (column 12, lines 5-11).

Regarding claim 47, Acharya ('493) discloses reversing generic binary compression that has been applied at the imager (figure 3).

Regarding claim 50, Acharya ('493) discloses converting sensor information into color by interpolating color information (color interpolation data, column 13, lines 40-47).

Regarding claim 51, Acharya ('493) discloses apply a YUV transformation at the second device for converting said sensor into a color image in YUV color space (the application used to perform color space conversion after download from camera 830, column 2, lines 34-54, column 13, lines 1-5).

Art Unit: 2612

Regarding claim 52, Acharya ('493) discloses converting the color image into a standard file format at the target device (store XYZ color space image data in memory 811, figure 8, column 13, lines 15-40).

Regarding claim 53, Acharya ('493) discloses JPEG format (column 1, lines 65-67).

Regarding claim 54, Acharya ('493) and Tran fail to specifically disclose applying JPEG compression to the color image at the second device. Official Notice is taken that applying JPEG compression to the color image at the second device such as a computer is well known the art. This reduces the time to transmit image data to another device in a network.

Regarding claim 55, 56, Acharya ('493) discloses a digital camera (digital camera 830, figure 8); computer (computer 810, figure 8). Tran discloses cellular phone device (inherently included in telephone network 102, figure 4, column 17, lines 30-40).

Regarding claim 57, Tran discloses wherein said second device comprises a computer with connectivity to the Internet (figure 5, mobile computers 10, 11, 12, 13 are connected to Internet 150, column 20, lines 25-30).

As for claims 58-60, Acharya ('493) and Tran fail to specifically disclose transmitting said compressed sensor information by first transmitting a lower-quality representation of the image recorded at the first device. However, Acharya ('493) discloses compressed signals could

Art Unit: 2612

be downloaded to the computer (figure 8). It would have been obvious that lower-quality image is converted into higher-quality image in order to let the user could see a higher quality on the display.

Regarding claim 61, Acharya ('493) discloses a digital camera (digital camera 830, figure 8, column 12, lines 24-45).

Regarding claim 62, Acharya ('493) discloses a desktop computer (computer 810, column 12, lines 24-30).

Regarding claim 63, Acharya ('493) discloses a server computer (computer 810, column 12, lines 24-30).

Regarding claim 64, Acharya ('493) fails to specifically disclose a CMOS image sensor.

Official notice is taken that such CMOS image sensor is used in a camera is well known in the art. The CMOS image sensor can be integrated with control and signal processing circuit to form a camera on a chip. This reduces the size of the camera.

Regarding claim 65, Acharya ('493) fails to specifically disclose a CCD image sensor.

Official notice is taken that such CCD image sensor is used to capture image in a camera is well known in the art.

Art Unit: 2612

Application/Control Number: 09/434,703

Regarding claim 66, Acharya ('493) discloses gray-scale luminosity information (m bit intensity, column 11, lines 45-50).

Regarding claim 68, Acharya ('493) discloses applying wavelet transform to individual bit planes that comprise the sensor image (see abstract, column 4, lines 49-61); and applying compression to the transformed sensor image, to create said compressed sensor image at the first device (compression quantizer 728, figure 7).

Art Unit: 2612

Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to LUONG T NGUYEN whose telephone number is (571) 272 - 7315. The examiner can normally be reached on 7:30AM - 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, WENDY GARBER can be reached on (571) 272 - 7308. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

LN 6/27/2005

LUONG T. NGUYEN PATENT EXAMINER